



LIDOCAÍNA 2% SEM VASO	
<i>Sem diluição (20mg/ml)</i>	
Dose: 1.5mg/Kg	
PESO	DOSE (ml)
50	3.5
55	4.0
60	4.5
65	5.0
70	5.3
75	5.5
80	6.0
85	6.5
90	6.8
FENTANIL	
<i>Sem diluição (50mg/ml)</i>	
Dose 1-2mcg/kg	
PESO	DOSE (ml)
50	1 a 2
55	1 a 2
60	1 a 2.5
65	1.5 a 2.5
70	1.5 a 3
75	1.5 a 3
80	1.5 a 3
85	2 a 3.5
90	2 a 3.5
ETOMIDATO	
<i>Amp 10ml + 10ml SF 0,9%(1mg/ml)</i>	
Dose: 0.2mg/Kg	
PESO	DOSE (ml)
50	10
55	11
60	12
65	13
70	14
75	15



80	16
85	17
90	18
KETAMINA <i>4ml (200mg) + 6ml SF 0,9%</i> <i>(20mg/ml)</i> Dose: 1.5mg/kg	
PESO	DOSE (ml)
50	3.5
55	4.0
60	4.5
65	5.0
70	5.3
75	5.5
80	6.0
85	6.5
90	6.8
ROCURÔNIO <i>Sem diluição (10mg/ml)</i> Dose: 1.2mg/Kg	
PESO	DOSE (ml)
50	6
55	6.6
60	7.2
65	7.8
70	8.4
75	9
80	9.6
85	10
90	10.8
SUCCINILCOLINA <i>Fr 100mg + 10ml SF 0,9%(10mg/ml)</i> Dose: 1.5 mg/kg	
PESO	DOSE (ml)
50	7.5
55	8.0
60	9.0
65	9.5



70	10
75	11
80	12
85	12.5
90	13

MIDAZOLAN <i>3ml (15mg) + 12ml SF 0,9%</i> (1mg/ml) Dose: 0.1-0.2mg/Kg	
PESO	DOSE (ml)
50	5 a 10
55	5,5 a 11
60	6 a 12
65	6.5 a 13
70	7 a 14
75	7.5 a 15
80	8 a 16
85	8.5 a 17
90	9 a 18
PROPOFOL <i>Sem diluição (10mg/ml)</i> Dose: 1.5mg/kg	
PESO	DOSE (ml)
50	7.5
55	8.0
60	9.0
65	9.5
70	10
75	11
80	12
85	12.5
90	13
Fenilefrina <i>Amp 10mg (1ml) + 250ml SF 0,9%</i> (40mcg/ml)	
Dose do bolus: 80 a 120mcg (2 a 4ml)	



EFEDRINA

***Amp 50mg (1ml) + 9ml SF 0,9%
(5mg/ml)***

Dose do bolus: 10 a 20mg (2 a 4ml)

NORADRENALINA

***Amp 4mg (4ml) + 246ml SF 0,9%
(16mcg/ml)***

***Rediluir: 5ml (80mcg) da solução +
15ml SF 0,9% (4mcg/ml)***

Dose do bolus: 8 a 16mcg (2 a 4 ml)